

Bibliography

- [1] D. J. Aldous and J. Fill: *Reversible Markov Chains and Random Walks on Graphs* (book in preparation); URL for draft at <http://www.stat.Berkeley.edu/users/aldous>
- [2] N. Alon: Eigenvalues and expanders, *Combinatorica* **6**(1986), 83–96.
- [3] N. Alon and V. D. Milman: λ_1 , isoperimetric inequalities for graphs and superconcentrators, *J. Combinatorial Theory B* **38**(1985), 73–88.
- [4] N. Alon, L. Lovász: Unextendible product bases, *J. Combin. Theory Ser. A* **95** (2001), 169–179.
- [5] N. Alon, P.D. Seymour and R. Thomas: Planar separators, *SIAM J. Disc. Math.* **7** (1994), 184–193.
- [6] N. Alon and J.H. Spencer: *The Probabilistic Method*, Wiley, New York, 1992.
- [7] E. Andre’ev: On convex polyhedra in Lobachevsky spaces, *Mat. Sbornik*, Nov. Ser. **81** (1970), 445–478.
- [8] S. Arora, C. Lund, R. Motwani, M. Sudan, M. Szegedy: Proof verification and hardness of approximation problems *Proc. 33rd FOCS* (1992), 14–23.
- [9] R. Bacher and Y. Colin de Verdière: Multiplicités des valeurs propres et transformations étoile-triangle des graphes, *Bull. Soc. Math. France* **123** (1995), 101–117.
- [10] E.G. Bajmóczy, I. Bárány, On a common generalization of Borsuk’s and Radon’s theorem, *Acta Mathematica Academiae Scientiarum Hungaricae* **34** (1979) 347–350.
- [11] M. Bellare, O. Goldreich, and M. Sudan: Free bits, PCP and non-approximability—towards tight results, *SIAM J. on Computing* **27** (1998), 804–915.
- [12] I. Benjamini and L. Lovász: Global Information from Local Observation, *Proc. 43rd Ann. Symp. on Found. of Comp. Sci.* (2002) 701–710.
- [13] I. Benjamini and L. Lovász: Harmonic and analytic functions on graphs, *Journal of Geometry* **76** (2003), 3–15.
- [14] I. Benjamini and O. Schramm: Harmonic functions on planar and almost planar graphs and manifolds, via circle packings. *Invent. Math.* **126** (1996), 565–587.
- [15] I. Benjamini and O. Schramm: Random walks and harmonic functions on infinite planar graphs using square tilings, *Ann. Probab.* **24** (1996), 1219–1238.

- [16] T. Böhme, On spatial representations of graphs, in: *Contemporary Methods in Graph Theory* (R. Bodendieck, ed.), BI-Wiss.-Verl. Mannheim, Wien/Zurich, 1990, pp. 151–167.
- [17] J. Bourgain: On Lipschitz embedding of finite metric spaces in Hilbert space, *Israel J. Math.* **52** (1985), 46–52.
- [18] P. Brass: On the maximum number of unit distances among n points in dimension four, *Intuitive geometry* Bolyai Soc. Math. Stud. **6**, J. Bolyai Math. Soc., Budapest (1997), 277–290.
- [19] P. Brass: Erdős distance problems in normed spaces, *Comput. Geom.* **6** (1996), 195–214.
- [20] P. Brass: The maximum number of second smallest distances in finite planar sets. *Discrete Comput. Geom.* **7** (1992), 371–379.
- [21] P. Brass, G. Károlyi: On an extremal theory of convex geometric graphs (manuscript)
- [22] G.R. Brightwell, E. Scheinerman: Representations of planar graphs, *SIAM J. Discrete Math.* **6** (1993) 214–229.
- [23] R.L. Brooks, C.A.B. Smith, A.H. Stone and W.T. Tutte, The dissection of rectangles into squares. *Duke Math. J.* **7**, (1940). 312–340.
- [24] A.E. Brouwer and W.H. Haemers: Association Schemes, in *Handbook of Combinatorics* (ed. R. Graham, M. Grötschel, L. Lovász), Elsevier Science B.V. (1995), 747–771.
- [25] A.K. Chandra, P. Raghavan, W.L. Ruzzo, R. Smolensky and P. Tiwari: The electrical resistance of a graph captures its commute and cover times, *Proc. 21st ACM STOC* (1989), 574–586.
- [26] S.Y. Cheng, Eigenfunctions and nodal sets, *Commentarii Mathematici Helvetici* **51** (1976) 43–55.
- [27] J. Cheriyan, J.H. Reif: Directed s - t numberings, rubber bands, and testing digraph k -vertex connectivity, *Proceedings of the Third Annual ACM-SIAM Symposium on Discrete Algorithms*, ACM, New York (1992), 335–344.
- [28] Y. Colin de Verdière: Sur la multiplicité de la première valeur propre non nulle du laplacien, *Comment. Math. Helv.* **61** (1986), 254–270.
- [29] Y. Colin de Verdière: Sur un nouvel invariant des graphes et un critère de planarité, *Journal of Combinatorial Theory, Series B* **50** (1990), 11–21. English translation: On a new graph invariant and a criterion for planarity, in: *Graph Structure Theory* (Robertson and P. D. Seymour, eds.), Contemporary Mathematics, Amer. Math. Soc., Providence, RI (1993), 137–147.
- [30] Y. Colin de Verdière: Une principe variationnel pour les empilements de cercles, *Inventiones Math.* **104** (1991) 655–669.
- [31] Y. Colin de Verdière: Multiplicities of eigenvalues and tree-width of graphs, *J. Combin. Theory Ser. B* **74** (1998), 121–146.
- [32] Y. Colin de Verdière: *Spectres de graphes*, Cours Spécialisés **4**, Société Mathématique de France, Paris, 1998.

- [33] G. Csizmadia: The multiplicity of the two smallest distances among points, *Discrete Math.* **194** (1999), 67–86.
- [34] C. Delorme and S. Poljak: Laplacian eigenvalues and the maximum cut problem, *Math. Programming* **62** (1993) 557–574.
- [35] M. Deza and M. Laurent: *Geometry of Cuts and Metrics*, Springer Verlag, 1997.
- [36] P.D. Doyle and J.L. Snell: *Random walks and electric networks*, Math. Assoc. of Amer., Washington, D.C. 1984.
- [37] R.J. Duffin: Basic properties of discrete analytic functions, *Duke Math. J.* **23** (1956), 335–363.
- [38] R.J. Duffin: Potential theory on the rhombic lattice, *J. Comb. Theory* **5** (1968) 258–272.
- [39] R.J. Duffin and E.L. Peterson: The discrete analogue of a class of entire functions, *J. Math. Anal. Appl.* **21** (1968) 619–642.
- [40] H. Edelsbrunner, P. Hajnal: A lower bound on the number of unit distances between the vertices of a convex polygon, *J. Combin. Theory Ser. A* **56** (1991), 312–316.
- [41] H.G. Eggleston: Covering a three-dimensional set with sets of smaller diameter, *J. London Math. Soc.* **30** (1955), 11–24.
- [42] P. Erdős, On sets of distances of n points, *Amer. Math. Monthly* **53** (1946), 248–250.
- [43] P. Erdős: On sets of distances of n points in Euclidean space, *Publ. Math. Inst. Hung. Acad. Sci.* **5** (1960), 165–169.
- [44] P. Erdős: Gráfok páros körüljárású részgráfjairól (On bipartite subgraphs of graphs, in Hungarian), *Mat. Lapok* **18** (1967), 283–288.
- [45] P. Erdős: On some applications of graph theory to geometry, *Canad. J. Math.* **19** (1967), 968–971.
- [46] P. Erdős and N.G. de Bruijn: A colour problem for infinite graphs and a problem in the theory of relations, *Nederl. Akad. Wetensch. Proc. – Indagationes Math.* **13** (1951), 369–373.
- [47] P. Erdős, F. Harary and W.T. Tutte, On the dimension of a graph *Mathematika* **12** (1965), 118–122.
- [48] P. Erdős, L. Lovász, K. Vesztergombi: On the graph of large distances, *Discrete and Computational Geometry* **4** (1989) 541–549.
- [49] P. Erdős, L. Lovász, K. Vesztergombi: The chromatic number of the graph of large distances, in: *Combinatorics*, Proc. Coll. Eger 1987, Coll. Math. Soc. J. Bolyai **52**, North-Holland, 547–551.
- [50] P. Erdős and M. Simonovits: On the chromatic number of geometric graphs, *Ars Combin.* **9** (1980), 229–246.
- [51] U. Feige: Approximating the Bandwidth via Volume Respecting Embeddings, Tech. Report CS98-03, Weizmann Institute (1998).

- [52] J. Ferrand, Fonctions préharmoniques et fonctions préholomorphes. (French) *Bull. Sci. Math.* **68**, (1944). 152–180.
- [53] C.M. Fiduccia, E.R. Scheinerman, A. Trenk, J.S. Zito: Dot product representations of graphs, *Discrete Math.* **181** (1998), 113–138.
- [54] H. de Fraysseix, J. Pach, R. Pollack: How to draw a planar graph on a grid, *Combinatorica* **10** (1990), 41–51.
- [55] P. Frankl, H. Maehara: The Johnson-Lindenstrauss lemma and the sphericity of some graphs, *J. Combin. Theory Ser. B* **44** (1988), 355–362.
- [56] P. Frankl, H. Maehara: On the contact dimension of graphs, *Disc. Comput. Geom.* **3** (1988) 89–96.
- [57] P. Frankl, R.M. Wilson: Intersection theorems with geometric consequences, *Combinatorica* **1** (1981), 357–368.
- [58] Z. Füredi: The maximum number of unit distances in a convex n -gon, *J. Combin. Theory Ser. A* **55** (1990), 316–320.
- [59] M. X. Goemans and D. P. Williamson: Improved approximation algorithms for maximum cut and satisfiability problems using semidefinite programming, *J. Assoc. Comput. Mach.* **42** (1995), 1115–1145.
- [60] M. Grötschel, L. Lovász, A. Schrijver: The ellipsoid method and its consequences in combinatorial optimization, *Combinatorica* **1** (1981), 169–197.
- [61] M. Grötschel, L. Lovász, A. Schrijver: Relaxations of vertex packing, *J. Combin. Theory B* **40** (1986), 330–343.
- [62] M. Grötschel, L. Lovász, A. Schrijver: Geometric Algorithms and Combinatorial Optimization, Springer (1988).
- [63] B. Grünbaum: A proof of Vázsonyi’s conjecture, *Bull. Res. Council Israel, section A* **6** (1956), 77–78.
- [64] H. Hadwiger: Ein Überdeckungssatz für den Euklidischen Raum, *Portugaliae Math.* **4** (1944), 140–144.
- [65] J. Håstad: Some optimal in-approximability results, *Proc. 29th ACM Symp. on Theory of Comp.*, 1997, 1–10.
- [66] Z.-X. He, O. Schramm: Hyperbolic and parabolic packings, *Discrete Comput. Geom.* **14** (1995), 123–149.
- [67] Z.-X. He, O. Schramm: On the convergence of circle packings to the Riemann map, *Invent. Math.* **125** (1996), 285–305.
- [68] A. Heppes: Beweis einer Vermutung von A. Vázsonyi, *Acta Math. Acad. Sci. Hung.* **7** (1956), 463–466.
- [69] A. Heppes, P. Révész: A splitting problem of Borsuk. (Hungarian) *Mat. Lapok* **7** (1956), 108–111.

- [70] A.J. Hoffman, *** in *Beiträge zur Graphentheorie*, Teubner (1968) 75–80.
- [71] H. van der Holst: A short proof of the planarity characterization of Colin de Verdière, *Journal of Combinatorial Theory, Series B* 65 (1995) 269–272.
- [72] H. van der Holst: *Topological and Spectral Graph Characterizations*, Ph.D. Thesis, University of Amsterdam, Amsterdam, 1996.
- [73] H. van der Holst, M. Laurent, A. Schrijver, On a minor-monotone graph invariant, *Journal of Combinatorial Theory, Series B* 65 (1995) 291–304.
- [74] H. van der Holst, L. Lovász and A. Schrijver: On the invariance of Colin de Verdière’s graph parameter under clique sums, *Linear Algebra and its Applications*, **226–228** (1995), 509–518.
- [75] H. van der Holst, L. Lovász, A. Schrijver: The Colin de Verdière graph parameter, in: *Graph Theory and Combinatorial Biology*, Bolyai Soc. Math. Stud. **7**, János Bolyai Math. Soc., Budapest (1999), 29–85.
- [76] A.J. Hoffman: On graphs whose least eigenvalue exceeds $-1 - \sqrt{2}$, *Linear Algebra and Appl.* **16** (1977), 153–165.
- [77] A.J. Hoffman: On eigenvalues and colorings of graphs. *Graph Theory and its Applications*, Academic Press, New York (1970), 79–91.
- [78] H. van der Holst, L. Lovász, A. Schrijver: The Colin de Verdière graph parameter, in: *Graph Theory and Combinatorial Biology*, Bolyai Soc. Math. Stud. **7**, János Bolyai Math. Soc., Budapest (1999), 29–85.
- [79] H. Hopf, E. Pannwitz: *Jahresbericht der Deutsch. Math. Vereinigung* **43** (1934), 2 Abt. **114**, Problem 167.
- [80] R. Isaacs, Monodiffic functions, *Natl. Bureau Standards App. Math. Series* **18** (1952), 257–266.
- [81] W.B. Johnson, J. Lindenstrauss: Extensions of Lipschitz mappings into a Hilbert space. *Conference in modern analysis and probability* (New Haven, Conn., 1982), 189–206, *Contemp. Math.*, 26, Amer. Math. Soc., Providence, R.I., 1984.
- [82] M.R. Jerrum and A. Sinclair: Approximating the permanent, *SIAM J. Comput.* **18**(1989), 1149–1178.
- [83] J. Jonasson and O. Schramm: On the cover time of planar graphs *Electron. Comm. Probab.* **5** (2000), paper no. 10, 85–90.
- [84] J. Kahn, G. Kalai: A counterexample to Borsuk’s conjecture. *Bull. Amer. Math. Soc.* **29** (1993), 60–62.
- [85] D. Karger, R. Motwani, M. Sudan: Approximate graph coloring by semidefinite programming, *Proc. 35th FOCS* (1994), 2–13.
- [86] R. Kenyon: The Laplacian and Dirac operators on critical planar graphs, *Inventiones Math* **150** (2002), 409–439.

- [87] R. Kenyon and J.-M. Schlenker: Rhombic embeddings of planar graphs with faces of degree 4 (math-ph/0305057).
- [88] D. E. Knuth: The sandwich theorem, *The Electronic Journal of Combinatorics* **1** (1994), 48 pp.
- [89] P. Koebe: Kontaktprobleme der konformen Abbildung, *Berichte über die Verhandlungen d. Sächs. Akad. d. Wiss., Math.-Phys. Klasse*, **88** (1936) 141–164.
- [90] A. Kotlov: A spectral characterization of tree-width-two graphs, *Combinatorica* **20** (2000)
- [91] A. Kotlov, L. Lovász, S. Vempala, The Colin de Verdière number and sphere representations of a graph, *Combinatorica* **17** (1997) 483–521.
- [92] P. Lancaster, M. Tismenetsky, *The Theory of Matrices, Second Edition, with Applications*, Academic Press, Orlando, 1985.
- [93] D.G. Larman, C.A. Rogers: The realization of distances within sets in Euclidean space. *Mathematika* **19** (1972), 1–24.
- [94] F.T. Leighton and S. Rao, An approximate max-flow min-cut theorem for uniform multi-commodity flow problems with applications to approximation algorithms, *Proc. 29th Annual Symp. on Found. of Computer Science*, IEEE Computer Soc., (1988), 422-431.
- [95] N. Linial, E. London, Y. Rabinovich: The geometry of graphs and some of its algorithmic applications, *Combinatorica* **15** (1995), 215–245.
- [96] N. Linial, L. Lovász, A. Wigderson: Rubber bands, convex embeddings, and graph connectivity, *Combinatorica* **8** (1988) 91-102.
- [97] Lipton Tarjan ***
- [98] L. Lovász: *Combinatorial Problems and Exercises, Second Edition*, Akadémiai Kiadó - North Holland, Budapest, 1991
- [99] L. Lovász: Flats in matroids and geometric graphs, in: *Combinatorial Surveys*, Proc. 6th British Comb. Conf., Academic Press (1977), 45-86.
- [100] L. Lovász: On the Shannon capacity of graphs, *IEEE Trans. Inform. Theory* **25** (1979), 1–7.
- [101] L. Lovász: Random walks on graphs: a survey, in: *Combinatorics, Paul Erdős is Eighty*, Vol. 2 (ed. D. Miklos, V. T. Sos, T. Szonyi), János Bolyai Mathematical Society, Budapest, 1996, 353–398.
- [102] L. Lovász: Steinitz representations of polyhedra and the Colin de Verdière number, *J. Comb. Theory B* **82** (2001), 223–236.
- [103] L. Lovász, M. Saks, A. Schrijver: Orthogonal representations and connectivity of graphs, *Linear Alg. Appl.* **114/115** (1989), 439–454; A Correction: Orthogonal representations and connectivity of graphs, *Linear Algebra Appl.* **313** (2000) 101–105.
- [104] L. Lovász, A. Schrijver: A Borsuk theorem for antipodal links and a spectral characterization of linklessly embeddable graphs, *Proceedings of the American Mathematical Society* **126** (1998) 1275–1285.

- [105] L. Lovász, A. Schrijver: On the null space of a Colin de Verdière matrix, *Annales de l'Institut Fourier* **49**, 1017–1026.
- [106] L. Lovász, K. Vesztegombi: Geometric representations of graphs, to appear in *Paul Erdős and his Mathematics*, (ed. G. Halász, L. Lovász, M. Simonovits, V.T. Sós), Bolyai Society–Springer Verlag.
- [107] L. Lovász and P. Winkler: Mixing times, in: *Microsurveys in Discrete Probability* (ed. D. Aldous and J. Propp), DIMACS Series in Discr. Math. and Theor. Comp. Sci., **41** (1998), 85–133.
- [108] Lubotzky, Phillips, Sarnak
- [109] P. Mani, Automorphismen von polyedrischen Graphen, *Math. Annalen* **192** (1971), 279–303.
- [110] Margulis [expander]
- [111] J. Matoušek: On embedding expanders into l^p spaces. *Israel J. Math.* **102** (1997), 189–197.
- [112] C. Mercat, Discrete Riemann surfaces and the Ising model. *Comm. Math. Phys.* **218** (2001), no. 1, 177–216.
- [113] C. Mercat: Discrete polynomials and discrete holomorphic approximation (2002)
- [114] C. Mercat: Exponentials form a basis for discrete holomorphic functions (2002)
- [115] G.L. Miller, W. Thurston: Separators in two and three dimensions, *Proc. 22th ACM STOC* (1990), 300–309.
- [116] G.L. Miller, S.-H. Teng, W. Thurston, S.A. Vavasis: Separators for sphere-packings and nearest neighbor graphs. *J. ACM* **44** (1997), 1–29.
- [117] B. Mohar and S. Poljak: Eigenvalues and the max-cut problem, *Czechoslovak Mathematical Journal* **40** (1990), 343–352.
- [118] B. Mohar and C. Thomassen: Graphs on surfaces. Johns Hopkins Studies in the Mathematical Sciences. Johns Hopkins University Press, Baltimore, MD, 2001.
- [119] Mowshowitz
- [120] C. St.J. A. Nash-Williams, Random walks and electric currents in networks, *Proc. Cambridge Phil. Soc.* **55** (1959), 181–194.
- [121] S. Poljak and F. Rendl: Nonpolyhedral relaxations of graph-bisection problems, DIMACS Tech. Report 92-55 (1992).
- [122] A. Recki: *Matroid theory and its applications in electric network theory and in statics*, Algorithms and Combinatorics, 6. Springer-Verlag, Berlin; Akadémiai Kiadó, Budapest, 1989.
- [123] J. Reiterman, V. Rödl, E. Šinajová: Embeddings of graphs in Euclidean spaces, *Discr. Comput. Geom.* **4** (1989), 349–364.
- [124] J. Reiterman, V. Rödl and E. Šinajová: On embedding of graphs into Euclidean spaces of small dimension, *J. Combin. Theory Ser. B* **56** (1992), 1–8.

- [125] J. Richter-Gebert: *Realization spaces of polytopes*, Lecture Notes in Mathematics **1643**, Springer-Verlag, Berlin, 1996.
- [126] N. Robertson, P.D. Seymour: Graph minors III: Planar tree-width, *J. Combin. Theory B* **36** (1984), 49–64.
- [127] N. Robertson, P.D. Seymour, Graph minors XX: Wagner’s conjecture (preprint, 1988).
- [128] N. Robertson, P. Seymour, R. Thomas: A survey of linkless embeddings, in: *Graph Structure Theory* (N. Robertson, P. Seymour, eds.), Contemporary Mathematics, American Mathematical Society, Providence, Rhode Island, 1993, pp. 125–136.
- [129] N. Robertson, P. Seymour, R. Thomas: Hadwiger’s conjecture for K_6 -free graphs, *Combinatorica* **13** (1993) 279–361.
- [130] N. Robertson, P. Seymour, R. Thomas: Sachs’ linkless embedding conjecture, *Journal of Combinatorial Theory, Series B* **64** (1995) 185–227.
- [131] H. Sachs,
- [132] H. Sachs, Coin graphs, polyhedra, and conformal mapping, *Discrete Math.* **134** (1994), 133–138.
- [133] F. Saliola and W. Whiteley: Constraining plane configurations in CAD: Circles, lines and angles in the plane *SIAM J. Discrete Math.* **18** (2004), 246–271.
- [134] H. Saran: *Constructive Results in Graph Minors: Linkless Embeddings*, Ph.D. Thesis, University of California at Berkeley, 1989.
- [135] W. Schnyder: Embedding planar graphs on the grid, *Proc. First Annual ACM-SIAM Symp. on Discrete Algorithms*, SIAM, Philadelphia (1990), 138–148;
- [136] O. Schramm: Existence and uniqueness of packings with specified combinatorics, *Israel Jour. Math.* **73** (1991), 321–341.
- [137] O. Schramm: How to cage an egg, *Invent. Math.* **107** (1992), 543–560.
- [138] O. Schramm: Square tilings with prescribed combinatorics, *Israel Jour. Math.* **84** (1993), 97–118.
- [139] A. Schrijver, Minor-monotone graph invariants, in: *Combinatorics 1997* (P. Cameron, ed.), Cambridge University Press, Cambridge, 1997, to appear.
- [140] P.M. Soardi: *Potential Theory on Infinite Networks*, Lecture notes in Math. **1590**, Springer-Verlag, Berlin–Heidelberg, 1994.
- [141] J. Spencer, E. Szemerédi and W.T. Trotter: Unit distances in the Euclidean plane, *Graph Theory and Combinatorics*, Academic Press, London–New York (1984), 293–303.
- [142] D.A. Spielman and S.-H. Teng: Disk Packings and Planar Separators, *12th Annual ACM Symposium on Computational Geometry* (1996), 349–358.
- [143] D.A. Spielman and S.-H. Teng: Spectral Partitioning Works: Planar graphs and finite element meshes, *Proceedings of the 37th Annual IEEE Conference on Foundations of Comp. Sci.* (1996), 96–105.

- [144] E. Steinitz: Polyeder und Raumabteilungen, in: *Encyclopädie der Math. Wissenschaften* **3** (Geometrie) 3AB12, 1–139, 1922.
- [145] J.W. Sutherland: *Jahresbericht der Deutsch. Math. Vereinigung* **45** (1935), 2 Abt. 33.
- [146] S. Straszewicz: Sur un problème géométrique de Erdős, *Bull. Acad. Polon. Sci. CI.III* **5** (1957), 39–40.
- [147] L.A. Székely: Measurable chromatic number of geometric graphs and sets without some distances in Euclidean space, *Combinatorica* **4** (1984), 213–218.
- [148] L.A. Székely: Crossing numbers and hard Erdős problems in discrete geometry. *Combin. Probab. Comput.* **6** (1997), 353–358.
- [149] W.P. Thurston: *Three-dimensional Geometry and Topology*, Princeton Mathematical Series **35**, Princeton University Press, Princeton, NJ, 1997.
- [150] W.T. Tutte: How to draw a graph, *Proc. London Math. Soc.* **13** (1963), 743–768.
- [151] K. Vesztegombi: On the distribution of distances in finite sets in the plane, *Discrete Math.*, 57, [1985], 129–145.
- [152] K. Vesztegombi: Bounds on the number of small distances in a finite planar set, *Stu. Sci. Acad. Hung.*, 22 [1987], 95–101.
- [153] K. Vesztegombi: On the two largest distances in finite planar sets, *Discrete Math.* **150** (1996) 379–386.
- [154] W. Whiteley, Infinitesimally rigid polyhedra, *Trans. Amer. Math. Soc.* **285** (1984), 431–465.
- [155] D. Zeilberger: A new basis for discrete analytic polynomials, *J. Austral. Math. Soc. Ser. A* **23** (1977), 95–104.
- [156] D. Zeilberger: A new approach to the theory of discrete analytic functions, *J. Math. Anal. Appl.* **57** (1977), 350–367.
- [157] D. Zeilberger and H. Dym: Further properties of discrete analytic functions, *J. Math. Anal. Appl.* **58** (1977), 405–418.